

HD VIDEO CONVERTER

User Manual

Part: **ZT-T-602S**



MINI VGA +Audio TO HDMI Converter

Bringing High-Definition to life!

MINI VGA +Audio TO HDMI CONVERTER

Thank you for purchasing our product. To ensure safety and many years' trouble-free operation of the product, please read the manual carefully before using this product.

1.0 INTRODUCTION

This kind of the Converter is a VGA video and audio converter. It converts VGA input and audio into HDMI to allow PC users to show their image not only on the PC's monitor, but could also on TV, to have a large display. The conversion is along with the audio. Converter offers solutions for digital entertainment center, HDTV retail and show site, HDTV, STB, DVD and Projector factory, noise space and security concerns, data center control, information distribution, conference room presentation, school and corporate training environments.

2.0 FEATURES

1. No need to install drivers, portable, flexible, plug and play;
2. Provide advanced signal processing with great precision, colors, resolutions, and details;
3. Support Max VGA 1080p@60Hz or 1920x1200 input;
4. Support HDMI 1080P or 720p output;
5. Power supply block NOT included: USB-powered mode.

3.0 PACKAGE CONTENTS

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the shipping carton:

- 1) Main unit (VGA TO HDMI Converter)-----1PCS
- 2) USB Cable -----1PCS
- 3) VGA Cable -----1PCS
- 3) User Manual-----1PCS


4.0 SPECIFICATIONS

1. Input port: 1xVGA,1xAudio
2. Output ports: HDMI A TYPE
3. Dimensions (mm): 60.5(L) x55(W) x20(H)
4. NET Weight (g): 40
5. VGA input: Max 1080P@60Hz
6. HDMI output: 1080p60Hz, 720p/60Hz.

5.0 PANEL DESCRIPTIONS

Please study the panel drawings below and become familiar with the signal input(s), output(s) and power requirements.

MINI VGA +Audio TO HDMI CONVERTER



- (1)-----HDMI signal output
(2)-----Audio input
(3)-----USB power input
(4)-----VGA input

6.0 CONNECTION DIAGRAM



Before installation, please make sure all devices you wish to connect have been turned off.

- 1) Connect the VGA video and audio from computer to Converter.(Input cables are optional)
- 2) Connect the HDMI output from to the TV which has HDMI input.
- 3) Connect the VGA and audio output of back to the computer's monitor and speaker if necessary.
- 4) Connect the USB Power cable.
- 5) Power on the computer and TV, choose the input of TV to its HDMI channel.
- 6) The image does not need to be adjusted, the Converter will position it automatically, the user may adjust the horizontal position under some extreme condition.

Attention: Insert / Extract cable gently.

WARNING

1. Do not expose this apparatus to rain, moisture, dripping or splashing and that no objects filled with liquids, such as vases, shall be placed on the apparatus.
2. Do not install near any heat sources such as radiators, heat registers, Stoves or other apparatus (including amplifiers)that product heat.
3. Do not place sources of naked flames, such as lighted candles, on the unit.

MINI VGA +Audio TO HDMI CONVERTER

4. Clean this apparatus only with dry cloth.
5. Only use attachments/accessories specified by the manufacturer.
6. Refer all servicing to qualified service personnel.