

User's manual

Wireless **IR** Remote Control **Extender**



MIR-300

LOCATION OF CONTROLS


Transmitter Side



Receiver Side



Transmitter and Receiver Front



Accessory



DC 12 V
AC 120V
Adaptor x2



Infrared
Extender X 3
1, 1.5, 2m in length

CAUTION:

This equipment has been tested and found to comply with CE, FCC , Canadian DOC. regulations. These regulations are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with this manual, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular situation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the distance between the affected equipment and the receiver.
- Connect the affected equipment to an outlet on a circuit which is different from than the one the receiver is connected to.
- Consult the dealer or an experienced radio/TV technician for help.

IMPORTANT SAFETY PRECAUTIONS

- To prevent fire or shock hazard, do not submerge or expose this product to water.
- To avoid electric shock, do not open the units.
The MIR-300 contains no user serviceable parts.
Doing so will void the warranty.
- Use only the power supply provided with the MIR-300
- Do not overload wall outlets or extension cords.
- If you are experiencing difficulty with this product, do not attempt to service it yourself. Please call your vendor for assistance.

| Product Description

The MIR-300 Wireless Infrared Remote Control Extender enables you to extend the range of your present Infrared Remote Control so that you can operate VCRs, stereos, Cable Converter, Satellite receivers, etc., virtually anywhere in the home.


| Applications

The remote operation of electronics products that utilize IR (Infrared) remote control technology such as:


- Satellite Receivers
- Television
- VCR's (Video Cassette Recorders)
- CDs (Compact Disc)
- DVD's (Digital Video Disc)
- LDP's (Laser Disc Players)
- Cable Converter Boxes
- Audio / Hi-Fi Stereo Systems
- Wireless Video Sender Systems
- Any IR Remote Controlled Devices

APPLICATION DIAGRAM

1. Stereo system with remote control:




2. DSS / Satellite Receiver with remote control:




Installation & Operation Guide

Receiver


Picture 1




Picture 2



Picture 3




Picture 4




Transmitter


Picture 5



Picture 6



Picture 7



Care and Maintenance

- Keep the MIR-300 Remote Extender dry. If it gets wet, wipe it dry immediately.
- Use and store the MIR-300 only in normal temperature environments. Extreme temperature can shorten the life of electronic devices
- Handle the MIR-300 gently and carefully. Dropping it can damage the circuit board and can cause it to work improperly.
- Keep the MIR-300 away from dust and dirt, which can cause premature wear of parts.
- Wipe the MIR-300 with a damp cloth occasionally to keep it looking new. Do not use harsh chemicals, cleaning solvents, or strong detergents.

Specifications

Operating Voltage	120 VAC, 50Hz/60Hz DC 12V, 250mA
Power Consumption (pair).....	3 Watts Max
Transmission Frequency.....	433.92MHz+/-1MHz
Power Gain.....	10dBm
Effective operating range.....	about 100M (clear line of sight)